

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-25-001	440378	8627815	1230	89.97	-70.03	386.00		-	-	-	-	No Significant Results
DBW-25-002	440776	8628755	1229	275.56	-53.32	218.50		-	-	-	-	No Significant Results
DBW-25-003	440510	8627813	1248	105.51	-70.77	166.50		19.20	27.00	7.80	0.29	
DBW-25-003							and	56.50	86.00	29.50	0.44	
DBW-25-004R	440914	8628768	1243	277.00	-58.67	223.90		-	-	-	-	No Significant Results
DBW-25-005	440435	8627815	1241	159.30	-60.88	294.20		279.00	280.00	1.00	0.32	
DBW-25-006	440668	8627814	1257	270.00	-60.00	200.65		142.00	153.00	11.00	0.25	
DBW-25-006							and	159.00	163.00	4.00	0.18	
DBW-25-006							and	167.00	171.00	4.00	0.20	
DBW-25-007	440395	8627311	1225	270.00	-59.47	210.00		4.00	20.00	16.00	0.31	
DBW-25-007							and	52.00	75.00	23.00	0.33	
DBW-25-007							and	100.30	140.00	39.70	0.51	
DBW-25-008	440965	8629769	1245	270.00	-60.00	285.00		147.00	148.00	1.00	0.69	
DBW-25-008							and	165.00	166.00	1.00	0.26	
DBW-25-008							and	201.00	205.20	4.20	0.19	
DBW-25-009	440446	8627317	1231	269.68	-60.80	260.00		61.00	62.00	1.00	0.33	
DBW-25-009							and	119.75	125.00	5.25	0.79	
DBW-25-009							and	155.00	170.00	15.00	0.98	
DBW-25-009							and	178.00	186.00	8.00	0.36	
DBW-25-010	440276	8627315	1220	81.70	-50.89	170.10		45.00	54.00	9.00	0.31	
DBW-25-010							and	101.00	110.00	9.00	0.32	
DBW-25-010							and	117.00	139.00	22.00	1.02	
DBW-25-011	440396	8627412	1227	273.25	-59.71	243.00		9.00	19.65	10.65	0.72	
DBW-25-011							and	72.20	86.00	13.80	0.45	
DBW-25-011							and	92.70	94.00	1.30	0.68	
DBW-25-012	440098	8627319	1243	88.49	-50.28	317.10		-	-	-	-	No Significant Results
DBW-25-013	440346	8627413	1221	269.25	-59.49	206.00		68.00	83.00	15.00	0.38	
DBW-25-014	440272	8627314	1220	273.85	-60.40	224.50		102.00	118.00	16.00	0.43	
DBW-25-015	440917	8629759	1240	269.93	-50.72	111.00		58.00	62.00	4.00	0.24	
DBW-25-016	440274	8627416	1221	88.95	-59.69	176.70		66.00	77.00	11.00	0.63	
DBW-25-016							and	66.00	80.00	14.00	0.52	
DBW-25-017	440226	8627416	1226	87.12	-60.17	182.40		78.00	80.00	2.00	0.20	
DBW-25-018	440256	8627513	1227	95.36	-59.72	173.80		35.00	37.00	2.00	0.45	
DBW-25-018							and	56.00	66.00	10.00	0.41	
DBW-25-019	439757	8627412	1265	86.48	-60.54	275.50		156.00	166.00	10.00	0.32	
DBW-25-019							and	176.00	183.00	7.00	0.15	
DBW-25-019							and	190.00	194.00	4.00	0.23	
DBW-25-019							and	176.00	208.00	32.00	0.12	
DBW-25-020	440347	8627302	1220	270.67	-60.68	225.00		0.00	19.00	19.00	0.15	
DBW-25-020							and	34.00	53.00	19.00	0.34	
DBW-25-020							and	61.00	64.00	3.00	0.22	
DBW-25-020							and	109.00	121.30	12.30	0.54	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-25-021	440452	8627418	1235	269.63	-61.66	177.00		23.00	31.00	8.00	0.29	
DBW-25-021							and	41.00	66.00	25.00	0.89	
DBW-25-021							and	91.00	98.00	7.00	0.22	
DBW-25-021							and	157.00	163.00	6.00	0.33	
DBW-25-022	440205	8627517	1233	96.33	-60.93	165.00		55.80	57.00	1.20	0.76	
DBW-25-023	440305	8627617	1228	93.53	-60.91	170.40		-	-	-	-	No Significant Results
DBW-25-024	439706	8627597	1245	90.97	-60.18	230.60		106.00	110.00	4.00	0.23	
DBW-25-024							and	170.00	173.00	3.00	0.19	
DBW-25-025	440347	8627512	1223	89.90	-59.69	146.30		37.00	46.00	9.00	0.55	
DBW-25-026	440395	8627514	1226	262.98	-54.44	164.60		44.00	54.00	10.00	0.42	
DBW-25-026							and	60.00	63.00	3.00	0.32	
DBW-25-027	440446	8627529	1229	263.08	-54.08	113.10		12.00	33.85	21.85	0.48	
DBW-25-028	440396	8627614	1220	266.75	-59.58	122.60		61.00	61.68	0.68	0.35	
DBW-25-029	440458	8627719	1237	261.29	-60.45	128.40		-	-	-	-	No Significant Results
DBW-25-030	440510	8627611	1238	269.31	-61.01	170.60		8.00	58.00	50.00	0.46	
DBW-25-030							Including	11.00	17.00	6.00	1.36	
DBW-25-031	440603	8627716	1246	294.34	-59.78	203.10		27.00	36.00	9.00	0.34	
DBW-25-031							and	119.00	142.00	23.00	0.49	
DBW-25-031							and	160.00	181.00	21.00	0.34	
DBW-25-032	440597	8627610	1248	286.25	-60.18	161.60		0.00	22.00	22.00	0.34	
DBW-25-032							and	47.00	84.00	37.00	0.29	
DBW-25-033	440567	8627815	1252	81.91	-59.91	203.00		0.00	10.35	10.35	0.26	
DBW-25-033							and	39.00	51.00	12.00	0.26	
DBW-25-033							and	126.00	137.00	11.00	0.22	
DBW-25-033							and	161.00	173.00	12.00	0.12	
DBW-25-034	440554	8627610	1243	82.16	-59.36	185.60		0.00	14.25	14.25	0.25	
DBW-25-034							and	29.00	93.00	64.00	0.20	
DBW-25-034							and	119.00	139.00	20.00	0.33	
DBW-25-034							Including	121.00	124.50	3.50	1.13	
DBW-25-034							and	159.00	176.00	17.00	0.45	
DBW-25-035	440601	8628202	1241	269.93	-61.32	247.40		138.00	170.00	32.00	0.21	
DBW-25-035							and	189.00	202.00	13.00	0.20	
DBW-25-035							and	215.00	226.00	11.00	0.14	
DBW-25-036	440558	8627711	1246	279.89	-60.02	176.30		0.00	44.00	44.00	0.53	
DBW-25-036							and	119.54	137.00	17.46	0.37	
DBW-25-037	440600	8628009	1251	277.30	-54.88	181.70		0.00	42.00	42.00	0.25	
DBW-25-038	440459	8627613	1230	279.70	-74.84	140.30		57.90	59.00	1.10	0.29	
DBW-25-039	440553	8628009	1248	278.14	-55.30	196.80		129.00	131.00	2.00	0.38	
DBW-25-040	440507	8627712	1242	277.26	-60.75	137.50		0.00	37.40	37.40	0.35	
DBW-25-041	440458	8628013	1235	277.98	-55.38	238.60		-	-	-	-	No Significant Results
DBW-25-042	440633	8628402	1240	278.31	-60.80	218.30		35.00	46.00	11.00	0.24	
DBW-25-042							and	86.00	91.00	5.00	0.21	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-25-042							and	105.00	109.57	4.57	0.75	
DBW-25-042							and	160.00	177.00	17.00	0.30	
DBW-25-043	440556	8628204	1239	280.70	-61.21	254.90		169.00	185.00	16.00	0.22	
DBW-25-043							and	195.00	200.00	5.00	0.23	
DBW-25-043							and	228.60	233.00	4.40	0.22	
DBW-25-044	440530	8628398	1234	276.33	-60.26	230.50		69.00	73.00	4.00	0.20	
DBW-25-045	440578	8628602	1228	275.39	-59.27	203.00		28.00	37.00	9.00	0.41	
DBW-25-045							and	160.00	165.00	5.00	0.18	
DBW-25-046	440641	8628403	1240	16.62	-59.97	179.50		57.55	63.35	5.80	0.33	
DBW-25-046							and	92.00	120.50	28.50	0.21	
DBW-25-046							and	145.00	148.00	3.00	0.19	
DBW-25-047	440481	8628399	1233	280.03	-61.36	197.80		111.00	118.00	7.00	0.15	
DBW-25-048	440578	8628399	1234	270.44	-60.64	230.50		46.00	54.00	8.00	0.20	
DBW-25-048							and	61.00	69.00	8.00	0.16	
DBW-25-048							and	140.75	143.00	2.25	0.24	
DBW-25-048							and	172.00	175.00	3.00	0.21	
DBW-25-048							and	179.00	181.00	2.00	0.27	
DBW-25-048							and	194.00	197.00	3.00	0.52	
DBW-25-049	440681	8628601	1239	277.68	-59.74	208.50		43.00	52.00	9.00	0.17	
DBW-25-049							and	79.00	108.00	29.00	0.17	
DBW-25-050	440684	8628404	1238	274.05	-60.56	281.40		50.00	51.40	1.40	0.59	
DBW-25-050							and	62.00	64.00	2.00	0.50	
DBW-25-050							and	138.00	145.00	7.00	0.24	
DBW-25-050							and	170.00	180.00	10.00	0.27	
DBW-25-051	440781	8628602	1249	274.39	-69.94	194.60		115.00	118.00	3.00	0.27	
DBW-25-051							and	124.00	126.00	2.00	0.26	
DBW-25-052	440880	8628591	1255	270.58	-70.29	182.80		-	-	-	-	No Significant Results
DBW-25-053	440733	8628605	1244	271.13	-68.95	242.00		0.00	13.58	13.58	0.17	
DBW-25-053							and	87.00	108.00	21.00	0.16	
DBW-25-053							Including	96.00	101.86	5.86	0.27	
DBW-25-054	440629	8628603	1233	278.52	-69.98	107.00		14.00	20.00	6.00	0.19	
DBW-25-054							and	37.00	54.00	17.00	0.47	
DBW-25-054							Including	37.00	38.00	1.00	5.94	
DBW-25-054							and	64.30	66.00	1.70	0.57	
DBW-25-054							and	79.00	86.00	7.00	1.01	
DBW-25-055	440980	8628600	1260	272.23	-70.96	185.50		-	-	-	-	No Significant Results
DBW-25-056	440891	8628996	1234	274.23	-69.46	206.60		18.90	22.00	3.10	0.24	
DBW-25-057	441161	8628985	1264	272.45	-69.94	200.90		-	-	-	-	No Significant Results
DBW-25-058	441214	8628987	1269	276.97	-70.12	226.90		3.80	22.00	18.20	0.15	
DBW-25-059	440829	8629212	1236	270.92	-69.84	218.10		-	-	-	-	No Significant Results
DBW-25-060	440660	8628213	1244	273.76	-65.62	322.95		7.00	12.00	5.00	0.13	
DBW-25-060							and	151.00	160.00	9.00	0.44	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-25-060							and	178.00	182.00	4.00	0.17	
DBW-25-060							and	210.00	214.00	4.00	0.15	
DBW-25-060							and	224.00	225.00	1.00	0.58	
DBW-25-061	440883	8629184	1242	282.55	-70.07	260.60		-	-	-	-	No Significant Results
DBW-25-062	440576	8628510	1238	281.04	-61.27	206.50		58.00	59.50	1.50	0.83	
DBW-25-062							and	66.00	80.37	14.37	0.16	
DBW-25-062							and	131.00	132.00	1.00	0.68	
DBW-25-062							and	153.00	184.00	31.00	0.10	
DBW-25-062							and	191.00	196.00	5.00	0.14	
DBW-25-063	440932	8629399	1242	283.78	-69.36	262.90		14.00	15.00	1.00	0.59	
DBW-25-064	440637	8627981	1254	270.18	-60.34	230.50		0.70	47.00	46.30	0.42	
DBW-25-065	440670	8628493	1247	270.00	-60.00	203.60		91.00	98.00	7.00	0.16	
DBW-25-065							and	127.00	163.00	36.00	0.33	
DBW-25-066	440514	8628205	1237	96.04	-60.49	188.50		158.00	166.00	8.00	0.18	
DBW-25-067	440950	8629624	1236	269.57	-59.94	200.30		-	-	-	-	No Significant Results
DBW-25-068	440714	8628028	1256	254.68	-59.74	184.80		165.45	174.00	8.55	0.35	
DBW-25-069	440510	8627312	1243	275.10	-59.59	233.50		40.00	47.00	7.00	0.26	
DBW-25-069							and	120.00	132.00	12.00	0.14	
DBW-25-069							and	151.00	157.00	6.00	0.63	
DBW-25-069							and	186.00	189.00	3.00	0.18	
DBW-25-069							and	216.00	220.00	4.00	0.19	
DBW-25-070	440533	8628757	1236	87.51	-60.59	222.50		64.00	68.00	4.00	0.68	
DBW-25-071	440729	8629016	1233	87.27	-60.47	260.50		-	-	-	-	No Significant Results
DBW-25-072	440527	8629006	1252	84.62	-60.69	215.00		48.00	56.00	8.00	0.15	
DBW-25-073	440628	8629192	1235	88.22	-59.94	220.70		12.90	32.00	19.10	0.14	
DBW-25-074	440576	8629187	1240	96.44	-60.14	230.60		97.00	117.00	20.00	0.11	
DBW-25-074							and	161.00	178.00	17.00	0.11	
DBW-25-075	440676	8628750	1229	95.12	-60.69	218.50		0.00	37.00	37.00	0.15	
DBW-25-076	440675	8628996	1239	85.35	-60.45	224.40		-	-	-	-	No Significant Results
DBW-25-077	440585	8628754	1232	96.56	-60.41	205.90		7.00	11.00	4.00	0.14	
DBW-25-077							and	41.00	44.00	3.00	0.31	
DBW-25-077							and	53.00	58.00	5.00	0.64	
DBW-25-078	440634	8628755	1231	98.25	-60.02	212.60		17.00	21.00	4.00	0.25	
DBW-25-079	440576	8628999	1248	93.26	-60.39	209.10		5.00	10.00	5.00	0.12	
DBW-25-079							and	16.00	19.00	3.00	0.17	
DBW-25-079							and	69.00	75.00	6.00	0.13	
DBW-25-079							and	95.00	101.00	6.00	0.55	
DBW-25-080	440534	8629198	1243	94.12	-59.51	212.10		195.00	198.00	3.00	0.35	
DBW-25-081	440631	8628998	1244	92.68	-60.76	218.40		8.00	33.00	25.00	0.12	
DBW-25-081							Including	27.80	29.00	1.20	0.59	
DBW-25-081							and	82.00	84.00	2.00	0.23	
DBW-25-082	440813	8629401	1232	96.19	-59.97	182.60		125.60	128.00	2.40	0.20	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-25-083	440823	8629606	1238	88.19	-57.61	220.70		-	-	-	-	No Significant Results
DBW-25-084	440660	8629811	1252	85.57	-60.15	194.20		114.00	118.00	4.00	0.17	
DBW-25-085	440815	8629777	1237	86.02	-60.34	248.60		24.00	32.00	8.00	0.13	
DBW-25-085							Including	30.00	32.00	2.00	0.25	
DBW-25-085							and	55.00	58.00	3.00	0.20	
DBW-25-085							and	65.00	70.00	5.00	0.44	
DBW-25-086	440783	8629610	1243	91.90	-59.80	182.20		127.00	128.00	1.00	0.57	
DBW-25-087	440756	8629402	1234	88.89	-60.14	207.70		69.00	70.00	1.00	0.31	
DBW-25-088	440708	8629392	1234	88.01	-60.30	187.90		34.00	35.55	1.55	0.26	
DBW-25-088							and	79.00	80.00	1.00	0.33	
DBW-25-089	440764	8629799	1242	86.01	-60.69	200.30		46.55	56.50	9.95	0.14	
DBW-25-089							and	132.00	134.00	2.00	0.28	
DBW-25-089							and	185.00	189.00	4.00	0.19	
DBW-25-090	440613	8629796	1256	82.08	-60.14	197.10		172.00	183.10	11.10	0.18	
DBW-25-091	440681	8629614	1254	87.77	-60.20	202.30		40.00	46.00	6.00	0.55	
DBW-25-091							and	110.00	115.00	5.00	0.66	
DBW-25-092	440720	8629604	1253	84.28	-59.91	185.50		-	-	-	-	No Significant Results
DBW-25-093	440926	8630006	1240	79.31	-60.42	205.80		-	-	-	-	No Significant Results
DBW-25-094	440572	8629792	1259	77.49	-60.94	260.20		63.00	65.00	2.00	0.61	
DBW-25-094							and	113.40	121.00	7.60	0.17	
DBW-25-094							and	138.00	154.00	16.00	0.37	
DBW-25-094							and	206.00	210.52	4.52	0.45	
DBW-25-094							and	238.00	244.00	6.00	0.33	
DBW-25-095	440713	8629796	1247	76.31	-60.08	194.50		26.00	31.00	5.00	0.33	
DBW-25-096	440579	8630009	1269	87.52	-60.16	250.48		0.74	28.00	27.26	0.11	
DBW-25-096							and	137.00	142.00	5.00	0.20	
DBW-25-096							and	186.00	188.00	2.00	0.59	
DBW-25-096							and	230.00	236.14	6.14	0.14	
DBW-26-097	440827	8630000	1248	268.30	-59.71	197.30		90.00	96.00	6.00	0.61	
DBW-26-097							and	123.20	127.00	4.80	0.27	
DBW-26-097							and	177.00	187.00	7.00	0.39	
DBW-26-098	440630	8630006	1263	267.18	-60.26	226.80		46.00	48.95	2.95	0.16	
DBW-26-098							and	70.00	80.00	10.00	0.27	
DBW-26-098							and	180.00	196.00	16.00	0.22	
DBW-26-099R	440739	8630604	1276	89.57	-60.32	293.60		58.00	60.00	2.00	0.54	
DBW-26-099R							and	152.00	245.00	93.00	0.40	
DBW-26-100	440595	8630405	1272	87.04	-60.55	272.80		126.10	127.00	0.90	1.52	
DBW-26-101R	440662	8630203	1261	263.06	-60.08	176.50		66.00	67.00	1.00	0.76	
DBW-26-102R	440774	8630007	1251	269.28	-60.56	218.10		30.00	32.00	2.00	0.22	
DBW-26-102R							and	100.00	103.00	3.00	0.23	
DBW-26-103	440678	8630007	1259	276.49	-60.38	244.70		65.00	82.00	17.00	0.17	
DBW-26-103							and	143.20	147.00	3.80	0.36	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-26-103							and	168.63	178.00	9.37	0.32	
DBW-26-103							and	189.00	209.00	20.00	0.13	
DBW-26-104	440703	8630391	1274	276.17	-59.52	219.10		26.33	31.00	4.67	0.35	
DBW-26-104							and	64.00	67.00	3.00	0.47	
DBW-26-104							and	201.00	204.00	3.00	0.29	
DBW-26-105	440761	8630214	1249	279.67	-60.28	177.50		69.30	83.00	13.70	0.29	
DBW-26-105							and	112.00	129.00	17.00	0.30	
DBW-26-105							and	142.60	148.00	5.40	0.32	
DBW-26-106	440887	8630603	1264	277.05	-60.45	218.10		38.00	43.00	5.00	0.19	
DBW-26-106							and	59.00	67.00	8.00	0.40	
DBW-26-106							and	173.00	210.00	37.00	0.31	
DBW-26-107	440723	8629995	1255	272.38	-60.24	200.30		82.00	101.00	19.00	0.34	
DBW-26-107							and	111.00	114.00	3.00	0.28	
DBW-26-107							and	138.00	156.00	18.00	0.37	
DBW-26-108	440861	8630203	1250	280.39	-60.59	187.40		10.00	51.00	41.00	0.20	
DBW-26-108							and	106.00	153.00	47.00	0.14	
DBW-26-108							and	106.00	117.00	11.00	0.17	
DBW-26-109	440809	8630403	1269	268.85	-61.49	197.50		2.00	22.00	20.00	0.17	
DBW-26-109							and	38.00	39.00	1.00	1.09	
DBW-26-110	440839	8630825	1269	81.88	-60.36	204.50		42.00	77.00	35.00	0.36	
DBW-26-110							and	89.00	102.00	13.00	0.34	
DBW-26-110							and	145.00	154.00	9.00	0.20	Need to sample below 154m
DBW-26-111	440939	8630603	1259	266.70	-59.59	272.20		52.00	57.00	5.00	1.75	
DBW-26-111							and	63.00	79.00	16.00	0.35	
DBW-26-111							and	132.00	145.00	13.00	0.14	
DBW-26-111							and	132.00	221.00	89.00	0.25	
DBW-26-112	440584	8630005	1263	269.04	-59.86	191.30		20.00	39.00	19.00	0.23	Need to sample above 20m
DBW-26-113	440806	8630804	1272	80.38	-61.09	242.20		24.00	41.00	17.00	0.19	
DBW-26-113							and	102.00	112.00	10.00	0.25	
DBW-26-113							and	157.00	172.00	15.00	0.23	Need to sample 172-178m
DBW-26-113							and	178.00	185.00	7.00	0.21	
DBW-26-113							and	198.00	221.00	23.00	0.23	
DBW-26-114	440912	8630202	1250	281.41	-57.91	216.20		26.00	32.00	6.00	0.21	
DBW-26-114							and	43.00	87.00	44.00	0.37	
DBW-26-114							and	122.00	208.50	86.50	0.15	
DBW-26-115	440853	8630396	1266	275.09	-60.87	202.60		0.00	50.00	50.00	0.13	
DBW-26-115							and	76.00	102.00	26.00	0.16	
DBW-26-115							and	155.00	186.00	31.00	0.25	
DBW-26-116	440879	8630000	1244	271.02	-59.57	230.30		186.00	214.00	28.00	0.28	
DBW-26-117	440916	8630816	1261	267.38	-59.95	194.50		42.00	46.00	4.00	0.51	
DBW-26-117							and	67.00	95.00	28.00	0.30	
DBW-26-117							and	103.00	109.00	6.00	0.19	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-26-117							and	143.00	182.00	39.00	0.15	
DBW-26-118	440916	8630816	1261	283.58	-59.95	248.00		114.00	136.00	22.00	0.15	
DBW-26-118							and	151.00	153.00	2.00	0.77	
DBW-26-118							and	179.00	184.50	5.50	0.20	
DBW-26-118							and	206.00	214.00	8.00	0.50	
DBW-26-119	440963	8630202	1247	266.01	-60.75	224.50		19.00	25.00	6.00	0.40	
DBW-26-119							and	63.00	66.00	3.00	0.39	
DBW-26-119							and	96.00	104.00	8.00	0.26	
DBW-26-119							and	170.00	200.00	30.00	0.25	
DBW-26-120	440902	8630387	1261	264.01	-60.33	218.40		13.00	19.00	6.00	0.54	
DBW-26-120							and	89.00	144.50	55.50	0.15	
DBW-26-120							and	164.00	172.00	8.00	0.46	
DBW-26-121	441015	8630803	1248	267.94	-60.09	220.80		113.00	150.00	37.00	0.16	
DBW-26-121							Including	113.00	125.00	12.00	0.30	
DBW-26-122	440954	8630357	1257	273.84	-59.82	239.60		11.00	20.60	9.60	0.18	
DBW-26-122							and	77.00	91.00	14.00	0.19	
DBW-26-122							and	106.00	142.00	36.00	0.58	
DBW-26-122							Including	127.00	142.00	15.00	1.03	
DBW-26-122							and	171.00	238.00	67.00	0.30	
DBW-26-123	440949	8630817	1257	268.40	-69.86	215.60		29.00	33.78	4.78	0.31	
DBW-26-123							and	59.00	67.00	8.00	0.44	
DBW-26-123							and	127.00	207.00	80.00	0.39	
DBW-26-124	441119	8631002	1241	264.27	-59.79	233.40		-	-	-	-	No Significant Results
DBW-26-125	441039	8630605	1252	275.51	-60.31	191.50		64.00	66.00	2.00	0.45	
DBW-26-125							and	94.00	97.36	3.36	0.31	
DBW-26-125							and	157.00	162.00	5.00	0.15	
DBW-26-126	440809	8630203	1249	274.65	-61.02	190.80		78.00	88.00	10.00	0.19	
DBW-26-126							and	102.00	107.00	5.00	0.15	
DBW-26-126							and	165.00	167.00	2.00	0.29	
DBW-26-127	440871	8631005	1255	69.11	-60.29	188.50		42.00	72.00	30.00	0.32	
DBW-26-127							and	96.00	107.00	11.00	0.53	
DBW-26-127							and	174.95	180.00	5.05	0.29	Hole Ended In Mineralization
DBW-26-128	441008	8630369	1253	276.63	-60.21	203.70		80.00	81.00	1.00	0.61	
DBW-26-128							and	201.00	201.75	0.75	0.42	
DBW-26-129	441219	8631349	1238	98.15	-59.34	189.70		91.00	93.00	2.00	0.28	
DBW-26-129							and	99.00	105.00	6.00	0.15	
DBW-26-130	440996	8630594	1254	277.08	-60.78	219.95		15.00	37.00	22.00	0.12	
DBW-26-130							and	86.00	91.00	5.00	0.16	
DBW-26-130							and	101.00	104.00	3.00	0.34	
DBW-26-130							and	173.00	177.00	4.00	0.17	
DBW-26-131	440752	8630805	1273	84.68	-60.54	192.05		117.00	123.00	6.00	0.30	
DBW-26-131							and	139.00	160.00	21.00	0.27	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-26-132	440915	8631206	1240	85.56	-60.37	194.20		45.00	51.00	6.00	0.17	
DBW-26-132							and	101.00	109.00	8.00	0.38	
DBW-26-132							and	128.00	132.00	4.00	0.28	
DBW-26-132							and	188.00	190.00	2.00	0.28	
DBW-26-133	440970	8631005	1250	91.31	-60.22	190.10		44.00	46.00	2.00	0.25	
DBW-26-133							and	133.00	137.00	4.00	0.18	
DBW-26-134	440877	8631191	1245	90.00	-60.00	191.50		91.00	102.00	11.00	0.13	
DBW-26-134							and	126.00	137.00	11.00	0.11	
DBW-26-135	441149	8631347	1238	270.00	-60.00	185.30		-	-	-	-	No Significant Results
DBW-26-136	441119	8631203	1238	280.00	-60.00	211.90		132.00	134.00	2.00	0.13	
DBW-26-136							and	148.00	154.20	6.20	0.10	
DBW-26-137	440750	8630802	1273	270.00	-75.00	221.50		46.00	53.00	8.00	0.13	
DBW-26-137							and	84.37	86.00	1.63	1.74	
DBW-26-138	440810	8631148	1252	100.00	-60.00	182.40		39.00	42.00	3.00	0.16	
DBW-26-139	440825	8631008	1258	270.00	-60.00	190.90		-	-	-	-	No Significant Results
DBW-26-140	441013	8631176	1240	280.00	-60.00	185.00		8.00	9.00	1.00	0.75	
DBW-26-140							and	17.00	31.00	14.00	0.19	
DBW-26-140							and	73.00	81.00	8.00	0.10	
DBW-26-140							and	108.00	110.00	2.00	0.40	
DBW-26-140							and	114.00	117.40	3.40	0.41	
DBW-26-140							and	128.00	139.00	11.00	0.10	
DBW-26-141	441163	8631200	1240	280.00	-60.00	146.40		-	-	-	-	No Significant Results
DBW-26-142	440693	8630610	1278	100.00	-60.00	146.40		191.41	193.00	1.59	0.47	
DBW-26-142							and	197.07	215.00	17.93	0.23	
DBW-26-142							and	218.75	231.00	12.25	0.26	
DBW-26-143	441063	8630801	1241	280.00	60.00	179.60		87.00	91.00	4.00	0.24	
DBW-26-143							and	170.00	171.00	1.00	0.54	
DBW-26-144	440705	8630814	1273	100.00	-50.00	200.20		53.00	60.00	7.00	0.25	
DBW-26-144							and	63.00	65.00	2.00	1.36	
DBW-26-145	440653	8630603	1279	100.00	-60.00	242.40		185.59	197.00	11.41	0.19	
DBW-26-145							and	200.00	206.00	6.00	0.14	
DBW-26-146	441103	8630600	1243	280.00	-60.00	211.90		185.00	187.00	2.00	1.24	
DBW-25-147	440922	8630895	1260	246.14	-54.73	197.40		0.00	17.00	17.00	0.20	
DBW-25-147							and	41.00	102.00	61.00	0.34	
DBW-25-147							Including	41.00	47.00	6.00	1.30	
DBW-25-147							Including	82.00	85.00	3.00	1.38	
DBW-25-147							and	111.00	126.00	15.00	0.27	
DBW-25-147							and	154.00	168.05	14.05	0.51	
DBW-25-147							and	182.00	183.00	1.00	1.34	
DBW-25-148	440985	8630903	1250	273.30	-55.55	212.15		72.20	78.00	5.80	0.18	
DBW-25-148							and	86.00	102.00	16.00	0.17	
DBW-25-148							and	119.00	139.70	20.70	0.17	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-25-148							and	169.00	190.00	21.00	0.33	
DBW-25-149	440821	8630912	1265	110.20	-56.71	212.80		14.00	18.00	4.00	0.18	
DBW-25-149							and	23.00	40.84	17.84	0.85	
DBW-25-149							Including	31.00	39.00	8.00	1.71	
DBW-25-149							and	50.58	72.00	21.42	0.38	
DBW-25-149							and	171.00	197.65	26.65	0.38	
DBW-26-150	440921.8406	8630895.183	1260.313	10	-60	211.10		38.00	40.00	2.00	0.51	
DBW-26-150							and	66.00	70.00	4.00	0.37	
DBW-26-150							and	89.50	91.00	1.50	2.48	
DBW-26-150							and	97.00	122.00	25.00	0.38	
DBW-26-150							and	151.80	174.00	22.20	0.25	
DBW-26-150							and	195.00	209.00	14.00	0.38	
DBW-26-151	440776.8946	8630905.317	1266.799	80	-60	215.40		55.00	59.00	4.00	0.75	
DBW-26-151							and	64.00	74.00	10.00	0.36	
DBW-26-151							Including	70.00	74.00	4.00	0.49	
DBW-26-151							and	160.00	171.00	11.00	0.33	
DBW-26-152	440939.4233	8630895.457	1258.318	80	-55	200.40		17.00	21.00	4.00	0.32	
DBW-26-152							and	76.66	80.00	3.34	0.37	
DBW-26-152							and	109.00	120.00	11.00	0.11	
DBW-26-153	441089	8631901	1273	110	-60	230.85		-	-	-	-	No Significant Results
DBW-26-154	441142	8631899	1282	110	-60	182.30		4.00	10.00	6.00	0.21	
DBW-26-155	441046	8631702	1271	110	-60	209.50		-	-	-	-	No Significant Results
DBW-26-156	441046	8631902	1250	110	-60	119.50		-	-	-	-	No Significant Results
DBW-26-157	441192	8632104	1279	110	-60	206.90		2.00	6.80	4.80	0.14	
DBW-26-157							and	122.00	127.00	5.00	0.11	
DBW-26-158	441161	8631700	1310	110	-60	203.60		-	-	-	-	No Significant Results
DBW-26-159	441251	8631894	1289	110	-60	217.90		0.00	5.00	5.00	0.25	
DBW-26-159							and	144.00	172.00	28.00	0.25	
DBW-26-160	441347	8632100	1270	110	-70	185.90		0.00	5.00	5.00	0.14	
DBW-26-160							and	81.00	102.09	21.09	0.19	
DBW-26-161	441348	8631902	1284	110	-70	239.00		0.00	20.00	20.00	0.16	
DBW-26-162	441240	8631705	1267	110	-70	218.40		0.00	6.00	6.00	0.25	
DBW-26-163	441456	8632102	1278	110	-70	197.50		12.00	16.00	4.00	0.11	
DBW-26-164	441449	8631912	1313	110	-70	194.70		60.70	64.00	3.30	0.46	
DBW-26-164							and	71.55	76.00	4.45	0.11	
DBW-26-165	441400	8631703	1302	110	-70	209.40		19.33	33.00	13.67	0.51	
DBW-26-166	441545	8632105	1307	110	-70	188.80		-	-	-	-	No Significant Results
DBW-26-167	441547	8631904	1288	110	-70	200.30		7.00	25.00	18.00	0.18	
DBW-26-168	441493	8631698	1306	110	-70	197.40		-	-	-	-	No Significant Results
DBW-26-169	441642	8632102	1311	110	-70	178.90		-	-	-	-	No Significant Results
DBW-26-170	441395	8632314	1301	110	-60	197.50		-	-	-	-	No Significant Results
DBW-26-171	441144	8632104	1284	110	-60	203.80		1.00	12.00	11.00	0.10	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-26-172	441446	8631706	1288	110	-70	221.40		16.00	24.50	8.50	0.21	
DBW-26-172							and	87.00	89.00	2.00	0.32	
DBW-26-173	441299	8631710	1272	110	-60	239.40		32.15	38.00	5.85	0.30	
DBW-26-173							and	83.00	94.00	11.00	0.18	
DBW-26-173							and	217.00	218.00	1.00	1.06	
DBW-26-174	441436	8632305	1310	110	-60	237.40		89.00	91.00	2.00	1.36	
DBW-26-175	441044	8632108	1280	110	-60	191.70		51.00	53.00	2.00	0.17	
DBW-26-176	441343	8631704	1358	110	-60	200.40		3.00	27.30	24.30	0.27	
DBW-26-176							and	35.00	53.70	18.70	0.27	
DBW-26-177	441539	8632296	1358	110	-60	199.80		3.50	29.00	25.50	0.18	
DBW-26-178	440946	8632106	1346	110	-60	191.70		-	-	-	-	No Significant Results
DBW-26-179	441091	8631704	1278	110	-60	170.30		0.00	5.00	5.00	0.17	
DBW-26-180	441194	8631905	1262	110	-60	158.60		0.00	21.00	21.00	0.21	
DBW-26-181	441288	8632309	1310	110	-60	191.50		-	-	-	-	No Significant Results
DBW-26-182	441240	8631708	1323	110	-60	192.64		0.00	11.00	11.00	0.29	
DBW-26-183	441089	8631506	1274	280	-60	158.10		-	-	-	-	No Significant Results
DBW-26-184	441492	8631686	1236	270	-60	179.10		106.00	110.00	4.00	0.12	
DBW-26-185	441380	8631366	1264	280	-60	171.60		0.00	192.64	192.64	0.00	
DBW-26-186	441637	8631897	1246	280	-60	200.00		-	-	-	-	No Significant Results
DBW-26-187	441602	8631692	1282	280	-70	160.80		5.00	12.00	7.00	0.12	
DBW-26-188	442101	8633503	1318	280	-60	225.40		4.00	12.00	8.00	0.10	
DBW-26-189	441689	8631704	1331	280	-60	297.55		-	-	-	-	No Significant Results
DBW-26-190	441487	8631360	1289	280	-75	245.40		-	-	-	-	No Significant Results
DBW-26-191	441728	8631907	1270	280	-75	319.10		-	-	-	-	No Significant Results
DBW-26-192	442000	8633514	1286	280	-70	206.30		-	-	-	-	No Significant Results
DBW-26-193	441439	8631508	1312	280	-60	259.50		30.00	38.70	8.70	0.19	
DBW-26-193							and	187.20	189.00	1.80	0.43	
DBW-26-194	441616	8631316	1314	280	-70	201.50		-	-	-	-	No Significant Results
DBW-26-195	441374	8631483	1321	280	-70	153.70		23.00	27.00	4.00	0.17	
DBW-26-195							and	33.00	39.00	6.00	0.20	
DBW-26-195							and	64.00	66.00	2.00	0.35	
DBW-26-195							and	178.00	179.00	1.00	0.90	
DBW-26-196	441210	8630597	1284	280	-70	347.40		-	-	-	-	No Significant Results
DBW-26-197	441390	8631590	1262	280	-70	224.10						Awaiting Assay Report
DBW-26-198	441897	8633500	1266	280	-70	209.50		6.00	40.00	34.00	0.17	
DBW-26-199	441486	8631501	1325	280	-70	264.20		45.00	58.05	13.05	0.12	
DBW-26-199								70.00	85.00	15.00	0.19	
DBW-26-199								100.00	110.00	10.00	0.19	
DBW-26-200	441796	8633496	1229	280	-70	194.10		0.36	22.00	21.64	0.42	
DBW-26-200								41.00	48.00	7.00	0.10	
DBW-26-201	441187	8631510	1256	270	-70	176.10		-	-	-	-	No Significant Results
DBW-26-202	441550	8631483	1256	270	-70	245.70		66.00	88.00	22.00	0.14	

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	EOH (m)		From (m)	To (m)	Interval (m)	Cu%	Comment
DBW-26-202								215.05	216.20	1.15	0.53	
DBW-26-203	441199	8630798	1255	270	-70	323.50		-	-	-	-	No Significant Results
DBW-26-204	441378	8631254	1265	280	-70	197.40		-	-	-	-	No Significant Results
DBW-26-205	441607	8631489	1251	270	-70	230.60		-	-	-	-	No Significant Results
DBW-26-206	441709	8633490	1290	270	-70	224.60		-	-	-	-	No Significant Results
DBW-26-207	441299	8630595	1292	280	-70	314.10		-	-	-	-	No Significant Results
DBW-26-208	441307	8630774	1265	280	-70	329.23		-	-	-	-	No Significant Results
DBW-26-209	441773	8631500	1271	280	-70	200.10		-	-	-	-	No Significant Results
DBW-26-210	441893	8633686	1286	280	-75	215.40		-	-	-	-	No Significant Results
DBW-26-211	441233	8632504	1328	280	-70	230.70		-	-	-	-	No Significant Results
DBW-26-212	441028	8631706	1302	280	-70	329.40		-	-	-	-	No Significant Results
DBW-26-213	441039	8631356	1247	280	-70	212.10		-	-	-	-	No Significant Results
DBW-26-214	441340	8632504	1251	280	-60	251.10						<i>Awaiting Assay Report</i>
DBW-26-215	441857	8633256	1309	280	-70	209.60		12.00	27.00	15.00	0.23	